



**LEGS<sup>®</sup>**

**YARN CATALOGUE**

**AUGUST 2024**



# TABLE OF CONTENTS

## RAW WHITE & DOPE DYED YARNS

1. PA6 DTY
2. PA66 DTY
3. PA6 FLAT / FDY
4. PA66 FLAT / FDY
5. SPANDEX
6. POLYPROPYLENE DTY LEGS
7. PES DTY RAW WHITE SEMI-DULL
8. PES DTY RAW WHITE SEMI-DULL LOW OIL 0,8%
9. PES DTY RECYCLED RAW WHITE SEMI-DULL (GRS)
10. PES DTY RAW WHITE TRILOBAL BRIGHT
11. PES DTY BLACK DOPE DYED
12. PES DTY OPTICAL WHITE DOPE DYED
13. PES FDY RAW WHITE SEMI-DULL
14. PES FDY RAW WHITE TRILOBAL BRIGHT
15. PES FDY RAW WHITE TWISTED 120 TPM
16. PES FDY RAW WHITE TRILOBAL BRIGHT TWISTED 350 TPM
17. PES HT (HIGH TENACITY) RAW WHITE BRIGHT
18. PA6 HT (HIGH TENACITY) BRIGHT
19. PP HT (HIGH TENACITY) BRIGHT, UV PROTECTED
20. PES RINGSPUN RAW WHITE SEMI-DULL
21. PES RINGSPUN RAW WHITE SEMI-DULL GRS
22. PES RINGSPUN BLACK
23. PES/COTTON COMBED RINGSPUN RAW WHITE
24. COTTON 50%/POLYESTER 50% OE BLACK & COLOURS MELANGE
25. COTTON / POLYESTER OE REGENERATED DYED
26. COTTON 100% OE RAW WHITE
27. COTTON 100% RINGSPUN CARDED RAW WHITE
28. COTTON 100% RINGSPUN COMBED RAW WHITE
29. COTTON 100% RINGSPUN COMBED GOTS RAW WHITE
30. COTTON 100% RINGSPUN COMBED COMPACT RAW WHITE\*
31. COTTON COMBED / PES BLACK MELANGE
32. PES 50% / VISCOSE 50% RINGSPUN RAW WHITE
33. VISCOSE 100% RINGSPUN RAW WHITE
34. VISCOSE 100% OE
35. VISCOSE 100% MVS
36. MODAL 50% / COTTON COMBED 50% RAW WHITE KNITTING
37. BAMBOO 100% RINGSPUN RAW WHITE KNITTING
38. LINEN YARNS



Import	Legs
PA6 DTY 13 dtex / f 5 rw sd NIM	PA6 DTY 44 dtex / f 12 rw sd NIM LEGS
PA6 DTY 17 dtex / f 5 rw sd NIM	PA6 DTY 44 dtex / f 12 black NIM LEGS
PA6 DTY 20 dtex / f 7 rw sd NIM	PA6 DTY 56 dtex / f 24 rw sd x 1 NIM LEGS
PA6 DTY 22 dtex / f 24 rw sd LIM	PA6 DTY 56 dtex / f 24 rw sd x 2 LIM LEGS
PA6 DTY 33 dtex / f 10 (f 12) rw sd NIM	PA6 DTY 78 dtex / f 24 x 1 rw sd NIM LEGS only CN origin
PA6 DTY 33 dtex / f 10 (f 12) rw sd NIM <b>AAA</b>	PA6 DTY 78 dtex / f 24 x 2 rw sd LIM LEGS only CN origin
PA6 DTY 33 dtex / f 34 x 1 (x2) rw sd LIM	PA6 DTY 78 dtex / f 24 x 1 black NIM LEGS only CN origin
PA6 DTY 44 dtex / f 12 rw sd NIM	PA6 DTY 78 dtex / f 24 x 2 black LIM LEGS only CN origin
PA6 DTY 44 dtex / f 12 rw sd NIM <b>AAA</b>	PA6 DTY 110 dtex / f 24 rw sd x 1 NIM LEGS
PA6 DTY 44 dtex / f 34 rw sd LIM	PA6 DTY 110 dtex / f 24 rw sd x 2 LIM LEGS
PA6 DTY 44 dtex / f 34 rw sd LIM <b>AAA</b>	PA66 DTY 17 dtex / f 5 rw sd NIM LEGS
PA6 DTY 44 dtex / f 34 x 2 rw sd LIM	PA66 DTY 22 dtex / f 7 rw sd NIM LEGS
PA6 DTY 44 dtex / f 34 x 2 rw sd LIM <b>AAA</b>	PA66 DTY 22 dtex / f 20 x1 (x2) rw sd LIM LEGS
PA6 DTY 44 dtex / f 34 x1 black LIM	PA66 DTY 33 dtex / f 34 x1 (x2) rw sd LIM LEGS
PA6 DTY 78 dtex / f 24 x 1 rw sd NIM	PA66 DTY 44 dtex / f 13 rw sd NIM LEGS
PA6 DTY 78 dtex / f 24 x 1 rw sd NIM <b>AAA</b>	PA66 DTY 44 dtex / f 34 x1 (x2) rw sd LIM LEGS
PA6 DTY 78 dtex / f 24 x 2 rw sd LIM	PA66 DTY 60 dtex / f 60 x1 (x2) rw sd LIM LEGS
PA6 DTY 78 dtex / f 24 x 2 rw sd LIM <b>AAA</b>	PA66 DTY 67 dtex / f 20 x 1 rw sd NIM LEGS
PA6 DTY 78 dtex / f 24 x 1 black NIM	PA66 DTY 78 dtex / f 23 (f 24) x 1 rw sd NIM LEGS
PA6 DTY 78 dtex / f 24 x 2 black LIM	PA66 DTY 78 dtex / f 23 (f 24) x 2 rw sd LIM LEGS
PA6 DTY 78 dtex / f 18 x 1 colours NIM	PA66 DTY 78 dtex / f 68 x1 (x2) rw SD LIM LEGS
PA6 DTY 78 dtex / f 18 x 2 colours LIM	PA66 DTY 78 dtex / f 68 x1 (x2) rw FD LIM LEGS
PA6 DTY 78 dtex / f 18 x 1 (x2) RED 2044 NIM (LIM)	
PA6 DTY 78 dtex / f 68 x 1 rw sd LIM	
PA6 DTY 78 dtex / f 68 x 1 rw sd LIM <b>AAA</b>	
PA6 DTY 78 dtex / f 70 x1 (x2) black sd LIM	
PA6 DTY 78 dtex / f 70 x1 (x2) COLOURS (without red) LIM	
PA6 DTY 78 dtex / f 70 x1 (x2) RED 2044 LIM	
PA66 DTY 17 dtex / f 5 rw sd NIM	
PA66 DTY 22 dtex / f 7 rw sd NIM	
PA66 DTY 22 dtex / f 20 x1 (x2) rw sd LIM	
PA66 DTY 33 dtex / f 10 rw sd NIM	



## PA 66 DTY

Import	Legs
PA66 DTY 17 dtex / f 5 rw sd NIM	PA66 DTY 17 dtex / f 5 rw sd NIM LEGS
PA66 DTY 22 dtex / f 7 rw sd NIM	PA66 DTY 22 dtex / f 7 rw sd NIM LEGS
PA66 DTY 33 dtex / f 10 rw sd NIM	PA66 DTY 22 dtex / f 20 x1 (x2) rw sd LIM LEGS
	PA66 DTY 33 dtex / f 10 rw sd NIM LEGS
	PA66 DTY 33 dtex / f 34 x1 (x2) rw sd LIM LEGS
	PA66 DTY 44 dtex / f 13 rw sd NIM LEGS
	PA66 DTY 44 dtex / f 34 x1 (x2) rw sd LIM LEGS
	PA66 DTY 60 dtex / f 60 x1 (x2) rw sd LIM LEGS
	PA66 DTY 67 dtex / f 20 x 1 rw sd NIM LEGS
	PA66 DTY 78 dtex / f 23 (f 24) x 1 rw sd NIM LEGS
	PA66 DTY 78 dtex / f 23 (f 24) x 2 rw sd LIM LEGS
	PA66 DTY 78 dtex / f 68 x1 (x2) rw SD LIM LEGS
	PA66 DTY 78 dtex / f 68 x1 (x2) rw FD LIM LEGS



## PA6 FLAT / FDY

Import
PA6 FDY 17 dtex / f 3 RW SD on tubes
PA6 FDY 22 dtex / f 7 RW SD on tubes
PA6 FDY 33 dtex / f 12 RW SD on tubes
PA6 FDY 44 dtex / f 12 RW SD on tubes



## PA66 FLAT / FDY

Import	Legs
PA66 FDY 17 dtex / f 3 RW SD tubes	PA66 FDY 22 dtex / f 7 RW SD cops
PA66 FDY 22 dtex / f 7 RW SD on tubes	PA66 FDY 33 dtex / f 10 RW SD cops
PA66 FDY 33 dtex / f 20 RW SD on tubes	PA66 FDY 33 dtex / f 20 RW SD cops
	PA66 FDY 44 dtex / f 13 RW SD cops



Import
SPANDEX 17 DTX
SPANDEX 22 DTX
SPANDEX 22 DTX BLACK
SPANDEX 33 DTX
SPANDEX 44 DTX
SPANDEX 44 DTX BLACK
SPANDEX 78 DTX
ROICA 130 DTX C701
ROICA 156 DTX
SPANDEX 156 DTX
SPANDEX 133 DTX
ROICA 200 DTX C805
SPANDEX 235 DTX



## POLYPROPYLENE DTY- LEGS

### Legs

PP DTY 56 dtex / f 16 x1 COLOURS

PP DTY 56 dtex / f 48 x1 COLOURS with silver nano

PP DTY 56 dtex / f 48 x1 COLOURS

PP DTY 56 dtex / f 48 x2 COLOURS

ACY PP DTY 56 dtex / f 48 x1 COLOURS + S17 dtex with silver nano

ACY PP DTY 56 dtex / f 48x1 COLOURS + S17 dtex

ACY PP DTY 56dtex / f 48 x1 COLOURS + S22 dtex with silver nano

ACY PP DTY 56 dtex / f 48 x1 COLOURS + S22 dtex

SCY Spandex 17 dtex + PP 56 dtex / f 48 COLOURS 600 tpm with silver nano

SCY Spandex 17 dtex + PP 56 dtex / f 48 COLOURS 600 tpm

PP DTY 70 dtex / f 48 x1 BLACK

PP DTY 72 dtex / f 25 x1 COLOURS with silver nano

PP DTY 72 dtex / f 25 x1 COLOURS

ACY PP DTY 72 dtex / f 25x1 COLOURS + S22 dtex with silver nano

ACY PP DTY 72 dtex / f 25x1 COLOURS + S22 dtex

SCY Spandex 44 dtex + PP 72 dtex / f 25 COLOURS 600 tpm with silver nano

SCY Spandex 44 dtex + PP 72 dtex / f 25 COLOURS 600 tpm

ACY PP DTY 84 dtex / f 25 x1 COLOURS + S22 dtex with silver nano

ACY PP DTY 84 dtex / f 25 x1 COLOURS + S22 dtex

PP DTY 84 dtex / f 60 x1 COLOURS

PP DTY 84 dtex / f 25 x2 COLOURS

PP DTY 110 dtex / f 48x1 COLOURS with silver nano

PP DTY 110 dtex / f 48x1 COLOURS

PP DTY 110 dtex / f 48x2 COLOURS with silver nano

PP DTY 110 dtex / f 48x2 COLOURS



# PES DTY RAW WHITE SEMI-DULL

Index	Description
P-0030/014X1-DTY-RWSD-NIM (LIM)-1H-	30 den / f 14 x 1 PES DTY rw sd NIM (LIM) 1H
P-0050/036X1-DTY-RWSD-NIM (LIM)-2H-	50 den / f 36 x 1 PES DTY rw sd NIM (LIM) 2H
P-0050/072X1-DTY-RWSD-LIM-	50 den / f 72 x 1 PES DTY rw sd LIM 2H
P-0075/036X1-DTY-RWSD-NIM-	75 den / f 36 x 1 PES DTY rw sd NIM 2H
P-0075/(036-048)X1-DTY-RWSD-HIM-	75 den / f 36, f 48 x 1 PES DTY rw sd HIM 2H
P-0075/036X2-DTY-RWSD-HIM-	75 den / f 36 x 2 PES DTY rw sd HIM 2H
P-0075/072X1-DTY-RWSD-LIM-	75 den / f 72 x 1 PES DTY rw sd LIM 2H
P-0075/144X1-DTY-RWSD-LIM-	75 den / f 144 x 1 PES DTY rw sd LIM 2H
P-0075/144X2-DTY-RWSD-LIM-	75 den / f 144 x 2 PES DTY rw sd LIM 2H
P-0100/036X1-DTY-RWSD-NIM-	100 den / f 36 x 1 PES DTY rw sd NIM 2H
P-0100/036X1-DTY-RWSD-HIM-	100 den / f 36 x 1 PES DTY rw sd HIM 2H
P-0100/096X1-DTY-RWSD-LIM-	100 den / f 96 x 1 PES DTY rw sd LIM 2H
P-0100/144X1-DTY-RWSD-LIM-	100 den / f 144 x 1 PES DTY rw sd LIM 1H
P-0150/048X1-DTY-RWSD-NIM-	150 den / f 48 x 1 PES DTY rw sd NIM 2H
P-0150/048X1-DTY-RWSD-HIM-	150 den / f 48 x 1 PES DTY rw sd HIM 2H
P-0150/048X1-DTY-RWSD-NIM-FR-	150 den / f 48 x 1 PES DTY rw sd NIM 2H - Flame Retardant
P-0150/048X1-DTY-RWSD-NIM-%-NB	150 den / f 48 x 1 PES DTY rw sd NIM 2H
P-0150/048X1-DTY-RWSD-HIM-%-NB	150 den / f 48 x 1 PES DTY rw sd HIM 2H
P-0150/048X2-DTY-RWSD-HIM-%-NB	150 den / f 48 x 2 PES DTY rw sd HIM 2H
P-0150/048X2-DTY-RWSD-HIM	150 den / f 48 x 2 PES DTY rw sd HIM 2H
P-0150/048X2-DTY-RWSD-HIM-FR-	150 den / f 48 x 2 PES DTY rw sd HIM 2H - Flame Retardant
P-0150/096X1-DTY-RWSD-LIM-	150 den / f 96 x 1 PES DTY rw sd LIM 2H
P-0150/144X1-DTY-RWSD-LIM-	150 den / f 144 x 1 PES DTY rw sd LIM 2H
P-0150/288X2-DTY-RWSD-LIM-	150 den / f 288 x 2 PES DTY rw sd LIM 2H
P-0225/072X2-DTY-RWSD-HIM-	225 den / f 72 x 2 PES DTY rw sd HIM 2H
P-0300/072X1-DTY-RWSD-NIM-	300 den / f 72 x 1 PES DTY rw sd NIM 2H
P-0300/096X2-DTY-RWSD-LIM-	300 den / f 72, f 96 x 2 PES DTY rw sd LIM 2H
P-0300/096X2-DTY-RWSD-HIM-	300 den / f 72, f 96 x 2 PES DTY rw sd HIM 2H



## PES DTY RAW WHITE SEMI-DULL LOW OIL 0,8%

Index	Description
P-0300/096X2-DTY-RWSD-LIM-1H-LO-	300 den / f 72, f 96 x 2 PES DTY rw sd LIM 1H
P-0300/096X3-DTY-RWSD-LIM-1H-LO-	300 den / f 72, f 96 x 3 PES DTY rw sd LIM 1H
P-0300/096X4-DTY-RWSD-LIM-1H-LO-	300 den / f 72, f 96 x 4 PES DTY rw sd LIM 1H



## PES DTY RECYCLED RAW WHITE SEMI-DULL (GRS)



Index	Description
P-0075/036X1-DTY-RWSD-NIM-GRS	75 den / f 36 x 1 PES DTY RECYCLED rw sd NIM 2H
P-0075/072X1-DTY-RWSD-LIM-GRS	75 den / f 72 x 1 PES DTY RECYCLED rw sd LIM 2H
P-0100/096X1-DTY-RWSD-LIM-GRS	100 den / f 96 x 1 PES DTY RECYCLED rw sd LIM 2H
P-0100/144X1-DTY-RWSD-LIM-GRS	100 den / f 144 x 1 PES DTY RECYCLED rw sd LIM 2H
P-0150/048X1-DTY-RWSD-NIM-GRS	150 den / f 48 x 1 PES DTY RECYCLED rw sd NIM 2H
P-0150/048X1-DTY-RWSD-HIM-GRS	150 den / f 48 x 1 PES DTY RECYCLED rw sd HIM 2H
P-0150/096X1-DTY-RWSD-LIM-GRS	150 den / f 96 x 1 PES DTY RECYCLED rw sd LIM 2H
P-0150/144X1-DTY-RWSD-LIM-GRS	150 den / f 144 x 1 PES DTY RECYCLED rw sd LIM 2H
P-0150/048X2-DTY-BLSD-HIM-GRS	150 den / f 48 x 2 PES DTY RECYCLED bl sd HIM 2H
P-0150/048X2-DTY-RWSD-HIM-GRS	150 den / f 48 x 2 PES DTY RECYCLED rw sd HIM 2H
P-0300/096X2-DTY-RWSD-HIM-GRS	300 den / f 96 x 2 PES DTY RECYCLED rw sd HIM 2H



## PES DTY RAW WHITE TRILOBAL BRIGHT

Index	Description
P-0150/048X1-DTY-RWBR-HIM-	150 den / f 48 x 1 PES DTY tr br HIM 2H
P-0150/048X2-DTY-RWBR-HIM-	150 den / f 48 x 2 PES DTY tr br HIM 2H





## PES DTY BLACK DOPE DYED

Index	Description
P-0050/036X1-DTY-BLSD-NIM-	50 den / f 36 x 1 PES DTY black NIM
P-0075/036X1-DTY-BLSD-NIM-	75 den / f 36 x 1 PES DTY black NIM 2H
P-0100/036X1-DTY-BLSD-NIM-	100 den / f 36 x 1 PES DTY black NIM 2H
P-0150/048X1-DTY-BLSD-NIM-	150 den / f 48 x 1 PES DTY black NIM 2H
P-0150/048X1-DTY-BLSD-HIM-	150 den / f 48 x 1 PES DTY black HIM 2H
P-0150/048X2-DTY-BLSD-HIM-	150 den / f 36 x 2 PES DTY black HIM 2H
P-0300/096X1-DTY-BLSD-NIM-	300 den / f 72 x 1 PES DTY black NIM 2H
P-0300/096X2-DTY-BLSD-HIM-	300 den / f 96 x 2 PES DTY black HIM 2H



## PES DTY OPTICAL WHITE DOPE DYED

Index	Description
P-0150/036X1-DTY-(OW-OWSD)-NIM-	150 den / f 36 x 1 PES DTY optical white NIM 2H
P-0150/036X1-DTY-(OW-OWSD)-HIM-	150 den / f 36 x 1 PES DTY optical white HIM 2H
P-0150/036X2-DTY-OW-HIM-	150 den / f 36 x 2 PES DTY optical white HIM 2H



## PES FDY RAW WHITE SEMI-DULL

Index	Description
P-0020/012X1-FDY-RWSD-LIM-	20 den / f 12 PES FDY rw sd LIM
P-0050/024X1-FDY-RWSD-LIM-	50 den / f 24 PES FDY rw sd LIM
P-0068/024X1-FDY-RWSD-LIM-	68 den / f 24 PES FDY rw sd LIM



## PES FDY RAW WHITE TRILOBAL BRIGHT

Index	Description
P-0075/036X1-FDY-RWBR-LIM-	75 den / f 36 PES FDY tr br LIM
P-0100/036X1-FDY-RWBR-LIM-	100 den / f 36 PES FDY tr br LIM
P-0150/048X1-FDY-RWBR-LIM-	150 den / f 48 PES FDY tr br LIM
P-0300/096X1-FDY-RWBR-LIM-	300 den / f 96 PES FDY tr br LIM



## PES FDY RAW WHITE TWISTED 120 TPM

Index	Description
P-0150/048X1-FDY-RWSD-LIM-120TPM-	150 den / f 48 PES FDY rw sd twisted 120 tpm
P-0150/048X1-FDY-RWBR-LIM-120TPM-	150 den / f 48 PES FDY tr br twisted 120 tpm



## PES FDY RAW WHITE TRILOBAL BRIGHT TWISTED 350 TPM

Index	Description
P-0150/048X1-FDY-RWBR-(LIM-NIM)-350TPM-	150 den / f 48 PES FDY tr br twisted 350 tpm



## PES HT (HIGH TENACITY) RAW WHITE BRIGHT

Index	Description
P-0250/048X1-HT-RWBR-LS-	250 den/f 48, 72, 96 PES HT raw white round bright LIM LS
P-0250/048X1-HT-RWBR-LS-120TPM-	250 den/f 48, 72, 96 PES HT raw white round bright LIM LS 120 tpm
P-0500/096X1-HT-RWBR-LS-60TPM-	500 den/f 100 96 PES HT raw white round bright LIM LS 60 tpm
P-1000/192X1-HT-RWBR-	1000 den/f 210 192 PES HT raw white round bright LIM SS
P-1000/192X1-HT-RWBR-60TPM-Z-	1000 den/f 210 192 PES HT raw white round bright LIM 60 tpm SS
P-1000/192X1-HT-RWBR-LS-	1000 den/f 210 192 PES HT raw white round bright LIM LS
P-1000/192X1-HT-RWBR-LS-60TPM-Z-	1000 den/f 210 192 PES HT raw white round bright LIM 60 tpm LS
P-1000/096X1-HT-BLBR-	1000 den/f 96, 192 PES HT black dope dyed round bright LIM SS
P-1000/096X1-HT-BLBR-60TPM-	1000 den/f 96, 192 PES HT black dope dyed round bright LIM SS 60 tpm
P-1500/192X1-HT-RWBR-	1500 den/f 192 PES HT raw white round bright LIM SS
P-2000/384X1-HT-RWBR-	2000 den/f 200 384 PES HT raw white round bright LIM SS
P-2000/288X1-HT-RWBR-60TPM-	2000 den/f 200 384 PES HT raw white round bright LIM 60 tpm SS
P-3000/384X1-HT-RWBR-	3000 den/f 384 PES HT raw white round bright LIM SS
P-4000/384X1-HT-RWBR-	4000 den/f 384 PES HT raw white round bright LIM SS



## PA6 HT (HIGH TENACITY) BRIGHT

Index	Description
PA-06-0630/140X1-HT-RWBR-	630 den PA6 HT raw white round bright LIM SS
PA-06-0840/140X1-HT-RWBR-	840 den PA6 HT raw white round bright LIM SS
PA-06-0840/144X1-HT-COLOURS	840 den PA6 HT colours round bright LIM SS
PA-06-0840/144X1-HT-BLACK	840 den PA6 HT black round bright LIM SS
PA-06-0840/144X1-HT-RW-90TPM	840 den PA6 HT raw white round bright LIM SS 90 tpm
PA-06-0840/144X1-HT-BL-90TPM	840 den PA6 HT black round bright LIM SS 90 tpm
PA-06-1260/140X1-HT-RWBR-	1260 den PA6 HT raw white round bright LIM SS
PA-06-1680/280X1-HT-RWBR-	1680 den PA6 HT raw white round bright LIM SS



## PP HT (HIGH TENACITY) BRIGHT, UV PROTECTED

Index	Description
P-PR-300-MF-FDY-BLBR-UV300KLY	300 den PP FDY black round bright LIM SS, 300 kLy
P-PR-300-MF-FDY-RWBR-UV300KLY	300 den PP FDY raw white round bright LIM SS, 300 kLy
P-PR-600-MF-FDY-BLBR-UV300KLY	600 den PP FDY black round bright LIM SS, 300 kLy
P-PR-1000-MF-HT-RWBR-UV300KLY	1000 den PP HT raw white round bright LIM SS UV 300 kLy
P-PR-1000-MF-HT-RWBR-60TPM-UV300kLy	1000 den PP HT raw white round bright LIM SS 60 tpm UV 300 kLy
P-PR-1000-MF-HT-BLBR-UV300kLy	1000 den PP HT black round bright LIM SS, 300 kLy
P-PR-1000-MF-HT-BLBR-60TPM-UV300kLy	1000 den PP HT black round bright LIM SS 60 tpm, 300 kly
P-PR-1000-MF-HT-REDBR-UV300kLy	1000 den PP HT red round bright LIM SS, 300 kly
P-PR-1000-MF-HT-YELLOWBR-UV300kLy	1000 den PP HT yellow round bright LIM SS, 300 kly
P-PR-1000-MF-HT-BLUEBR-UV300kLy	1000 den PP HT blue round bright LIM SS, 300 kly
P-PR-1000-MF-HT-GREENBR-UV300kLy	1000 den PP HT green round bright LIM SS, 300 kly
P-PR-1000-MF-HT-KHGREENBR-UV300kLy	1000 den PP HT khaki green round bright LIM SS, 300 kly
P-PR-1000-MF-HT-GREYBR-UV300kLy	1000 den PP HT grey round bright LIM SS, 300 kly
P-PR-1000-MF-HT-YFLUO-UV300KLY	1000 den PP HT yellow fluo round bright LIM SS, 300 kly



# PES RINGSPUN RAW WHITE SEMI-DULL

Index	Description
P-60-NE-RI-KN-RWSD-	60 Ne x 1 PES ringspun rw sd knitting
P-50X2-NE-RI-WV-RWSD-	50 Ne x 2 PES ringspun rw sd weaving
P-36-NE-RI-KN-RWSD-	36 Ne x 1 PES ringspun rw sd knitting
P-30-NE-RI-KN-RWSD-	30 Ne x 1 PES ringspun rw sd knitting
P-30X2-NE-RI-WV-RWSD-	30 Ne x 2 PES ringspun rw sd weaving
P-24X2-NE-RI-WV-RWSD-	24 Ne x 2 PES ringspun rw sd weaving
P-20X2-NE-RI-WV-RWSD-	20 Ne x 2 PES ringspun rw sd weaving
P-24-NE-RI-KN-RWSD-	24 Ne x 1 PES ringspun rw sd knitting
P-24-NE-RI-WV-RWSD-	24 Ne x 1 PES ringspun rw sd weaving
P-20-NE-RI-KN-RWSD-	20 Ne x 1 PES ringspun rw sd knitting
P-20X1-NE-RI-WV-RWSD-	20 Ne x 1 PES ringspun rw sd weaving
P-16X2-NE-RI-WV-RWSD-	16 Ne x 2 PES ringspun rw sd weaving
P-12X4-NE-RI-WV-RWSD-	12 Ne x 4 PES ringspun rw sd weaving
P-12X2-NE-RI-WV-RWSD-	12 Ne x 2 PES ringspun rw sd weaving
P-12X1-NE-RI-WV-RWSD-	12 Ne x 1 PES ringspun rw sd weaving
P-10X1-NE-RI-WV-RWSD-	10 Ne x 1 PES ringspun rw sd weaving
P-06X2-NE-RI-WV-RWSD-	6 Ne x 2 PES ringspun rw sd weaving
P-06X1-NE-RI-WV-RWSD-	6 Ne x 1 PES ringspun rw sd weaving



# PES RINGSPUN RAW WHITE SEMI-DULL GRS



Index	Description
P-12X2-NE-RI-WV-RWSD-GRS-	12 Ne x 2 PES ringspun rw sd weaving GRS
P-24X2-NE-RI-WV-RWSD-GRS-	24 Ne x 2 PES ringspun rw sd weaving GRS
P-30-NE-RI-KN-RWSD-GRS-	30 Ne x 1 PES ringspun rw sd knitting GRS
P-36-NE-RI-KN-RWSD-GRS-	36 Ne x 1 PES ringspun rw sd knitting GRS



## PES RINGSPUN BLACK

Index	Description
P-30-NE-RI-KN-BLACK-	30 Ne x 1 PES ringspun black knitting
P-30-NE-RI-KN-95W05B-	30 Ne x 1 PES ringspun 10% black melange knitting
P-30-NE-RI-KN-80W20B-	30 Ne x 1 PES ringspun 20% black melange knitting
P-30-NE-RI-KN-50W50B-	30 Ne x 1 PES ringspun 50% black melange knitting



## PES/COTTON COMBED RINGSPUN RAW WHITE

Index	Description
P-CO-30-NE-CM-KN-RWSD-50/50-	30 Ne x 1 cotton combed 50% / PES 50% raw white
P-CO-24-NE-CM-KN-RWSD-50/50-	24 Ne x 1 cotton combed 50% / PES 50% raw white



## COTTON 50%/POLYESTER 50% OE BLACK & COLOURS MELANGE

Index	Description
P-CO-30-NE-OE-KN-GRI3-	30 Ne x 1 cotton 50% / polyester 50% GRI3
P-CO-30-NE-OE-KN-ANTRASIT-	30 Ne x 1 cotton 35% / polyester 65% Antrasit
P-CO-30-NE-OE-KN-COLOURS	30 Ne x 1 cotton 50% / polyester 50% OE melange dyed



## COTTON / POLYESTER OE REGENERATED DYED

Index	Description
P-CO-24-NE-RICH-OE-KN-colours	24 Ne x 1 cotton / polyester OE regenerated colours
P-CO-20-(18)-NE-RICH-OE-KN-colours	18 Ne x 1 cotton / polyester OE regenerated colours



# COTTON 100% OE RAW WHITE

Index	Description
C-30X1-NE-OE-KN-	contamination controlled
C-30X2-NE-OE-WV-	contamination controlled
C-24X1-NE-OE-KN-	contamination controlled
C-24X1-NE-OE-WV-	contamination controlled
C-24X2-NE-OE-WV-	contamination controlled
C-20X2-NE-OE-WV-	contamination controlled
C-20X1-NE-OE-WV-	contamination controlled
C-15X2-NE-OE-WV-	contamination controlled
C-16X1-NE-OE-WV-	contamination controlled
C-15X1-NE-OE-WV-	contamination controlled
C-12X1-NE-OE-WV-	contamination controlled
C-12X1-NE-OE-WV-IS	contamination controlled
C-12X1-NE-OE-KN-380TPM-	contamination controlled
C-12X2-NE-OE-WV-	contamination controlled
C-10X2-NE-OE-WV-	contamination controlled
C-10X1-NE-OE-WV-	contamination controlled
C-10X1-NE-OE-KN-380TPM-	contamination controlled
C-08X1-NE-OE-WV-	contamination controlled
C-08X2-NE-OE-WV-	contamination controlled
C-06X1-NE-OE-WV-	contamination controlled
C-06X2-NE-OE-WV-	contamination controlled
C-3.5X1-NE-OE-WV-	contamination controlled



# COTTON 100% RINGSPUN CARDED RAW WHITE

Index	Description
C-30X2-NE-CD-WV	contamination controlled
C-24X2-NE-CD-WV	contamination controlled
C-20X2-NE-CD-WV	contamination controlled
C-16X2-NE-CD-WV	contamination controlled



# COTTON 100% RINGSPUN COMBED RAW WHITE

Index	Description
C-84X1-NE-CM-KN-	contamination controlled
C-60X1-NE-CM-KN-	contamination controlled
C-50X1-NE-CM-KN-	contamination controlled
C-50X2-NE-CM-KN-	contamination controlled
C-40X1-NE-CM-KN-	contamination controlled
C-40X2-NE-CM-KN-	contamination controlled
C-36X1-NE-CM-KN-	contamination controlled
C-30X1-NE-CM-KN-	contamination controlled
C-24X1-NE-CM-KN-	contamination controlled
C-24X1-NE-CM-KN-S (Z)	contamination controlled
C-20X1-NE-CM-KN-	contamination controlled
C-16X1-NE-CM-KN-	contamination controlled
C-12X1-NE-CM-KN-	contamination controlled



# COTTON 100% RINGSPUN COMBED GOTS RAW WHITE



Index	Description
C-36X1-NE-CM-KN-COMPACT-GOTS	contamination controlled
C-30X1-NE-CM-KN-GOTS	contamination controlled
C-24X1-NE-CM-KN-GOTS	contamination controlled
C-20X1-NE-CM-KN-GOTS	contamination controlled


**COTTON 100% RINGSPUN COMBED COMPACT RAW WHITE\***

Index	Description
C-40X1-NE-CM-KN-COMPACT-	contamination controlled
C-40X1-NE-CM-KN-COMPACT-IS	contamination controlled
C-36X1-NE-CM-KN-COMPACT-	contamination controlled
C-36X1-NE-CM-KN-COMPACT-IS	contamination controlled
C-30X1-NE-CM-KN-COMPACT-	contamination controlled
C-30X1-NE-CM-KN-COMPACT-IS	contamination controlled
C-30X1-NE-CM-WV-COMPACT-CF-	contamination controlled
C-24X1-NE-CM-KN-COMPACT-	contamination controlled
C-24X1-NE-CM-KN-COMPACT-IS	contamination controlled
C-20X1-NE-CM-KN-COMPACT-	contamination controlled
C-20X1-NE-CM-KN-COMPACT-IS	contamination controlled


**COTTON COMBED / PES BLACK MELANGE**

Index	Description
P-CO-40-NE-CM-KN-98W02B-	2% of PES black fiber
P-CO-40-NE-CM-KN-95W05B-	5% of PES black fiber
P-CO-30-NE-CM-KN-98W02B-	2% of PES black fiber
P-CO-30-NE-CM-KN-95W05B-	5% of PES black fiber
P-CO-30-NE-CM-KN-92W08B-	8% of PES black fiber
P-CO-30-NE-CM-KN-80W20B-	20% of PES black fiber
P-CO-30-NE-CM-KN-70W30B-	30% of PES black fiber
P-CO-30-NE-CM-KN-60W40B-	40% of PES black fiber
P-CO-24-NE-CM-KN-95W05B-	5% of PES black fiber
P-CO-24-NE-CM-KN-92W08B-	8% of PES black fiber
P-CO-24-NE-CM-KN-80W20B-	20% of PES black fiber
P-CO-24-NE-CM-KN-70W30B-	30% of PES black fiber
P-CO-24-NE-CM-KN-60W40B-	40% of PES black fiber
P-CO-20-NE-CM-KN-95W05B-	5% of PES black fiber
P-CO-20-NE-CM-KN-92W08B-	8% of PES black fiber
P-CO-20-NE-CM-KN-80W20B-	20% of PES black fiber





## PES 50% / VISCOSE 50% RINGSPUN RAW WHITE

Index	Description
V-PE-30-NE-RI-KN-RW-VI50PE50-	30 Ne x 1 PES 50% / viscose 50% ringspun raw white



## VISCOSE 100% RINGSPUN RAW WHITE

Index	Description
V-30-NE-RI-KN-RWBR	30 Ne x 1 viscose 100% ringspun rw knitting
V-24-NE-RI-KN-RWBR	24 Ne x 1 viscose 100% ringspun rw knitting
V-20-NE-RI-KN-RWBR	20 Ne x 1 viscose 100% ringspun rw knitting



## VISCOSE 100% OE

Index	Description
V-30-NE-OE-KN-RWBR-	30 Ne x 1 viscose 100% OE rw knitting



## VISCOSE 100% MVS

Index	Description
V-30-NE-MVS-KN-RWBR-	30 Ne x 1 viscose 100% air jet rw knitting
V-30-NE-MVS-KN-BLACK-	30 Ne x 1 viscose 100% air jet bl knitting
V-36-NE-MVS-KN-RWBR-	36 Ne x 1 viscose 100% air jet rw knitting
V-40-NE-MVS-KN-RWBR-	40 Ne x 1 viscose 100% air jet rw knitting



## MODAL 50% / COTTON COMBED 50% RAW WHITE KNITTING

Index	Description
M-CO-30X1-NE-CM-KN-50/50-	50 Ne x 1 micromodal SIRO compact rw knitting



## BAMBOO 100% RINGSPUN RAW WHITE KNITTING

Index	Description
B-40X1-NE-RI-KN-SIRO-	40 Ne x 1 bamboo 100% ringspun SIRO rw knitting
B-30X1-NE-RI-KN-SIRO-	30 Ne x 1 bamboo 100% ringspun SIRO rw knitting
B-30X1-NE-RI-KN-	30 Ne x 1 bamboo 100% ringspun rw knitting
B-24X1-NE-RI-KN-SIRO-	24 Ne x 1 bamboo 100% ringspun SIRO rw knitting
B-24X1-NE-RI-KN-	24 Ne x 1 bamboo 100% ringspun rw knitting
B-20X1-NE-RI-KN-SIRO-	20 Ne x 1 bamboo 100% ringspun SIRO rw knitting



## LINEN YARNS

Index	Description
L-6-NM-WS-SF-WV-NAT-	6 NM Linen 100% wet spun short fiber natural WV
L-9,5-NM-WS-SF-WV-SB-	9,5 NM Linen 100% wet spun short fiber semi-bleached WV
L-13,5-NM-WS-LF-WV-SB-	13,5 NM Linen 100% wet spun long fiber semi-bleached WV
L-15,5-NM-WS-LF-WV-NAT-	15,5 NM Linen 100% wet spun long fiber natural WV